



TC21 and TC26

Accessories Guide

Updated February 2025

TC21/TC26 Accessory Overview

NEW: Workstation
Connect Cradle

NEW: Wired USB-C headset
For PTT and VOIP

Low-Cost Single Slot
Charge Cradle

Low-Cost Single Slot
Communication Cradle

Multi-Slot
Charge only
Share Cradle

Multi-Slot Ethernet
Share Cradle

USB Charge Cable

Batteries
(3300 mAh, 5260 mAh)

Vehicle Holder

4-slot Battery
Charger

20-slot Battery
Charger

Snap on Trigger
Handle

Hand Strap

Screen Protector

Wearable Arm
Mount

RS5100 Ring
Scanner

NEW: Rugged Boot with
integrated Hand Strap

UHF RFID Sled

Cradle System



1 & 5 Slot Charge Cradles



CRD-TC2Y-BS1CO-01

TC21/TC26 Single Slot Charge Only Cradle



CRD-TC2Y-BS5CO-01
CRD-TC2Y-BS54B-01

TC21/TC26 Multi-Slot Charge Only ShareCradle

- Charges Trigger Handle and Terminal together
- Multi-slot - 19" Rack: Rack Mountable (Mounting accessory required - BRKT-SCRD-SMRK-01)
- 5-slot available in 2 options;
 - 5 slot terminal only
 - 4 slot terminal plus 4 slot battery
- Single Slot Base Cradle requires USB-C Cable (CBL-TC5X-USBC2A-01, PS: PWR-WUA5V12W0XX (US, EU, GB, AU, CN, BR, KR, IN))
- 5-Slot Cradles requires power supply PWR-BGA12V108W0WW, DC Line Cord CBL-DC-381A1-01 & country specific AC Line Cord (sold separately)



1 & 5-Slot Communication Cradles



CRD-TC2Y-SE1ET-01

TC21/TC26 Single Slot Charge/Communication Cradle



CRD-TC2Y-SE5ET-01

TC21/TC26 5-Slot Ethernet & Charge ShareCradle

- Charge Trigger Handle and Terminal Together
- Multi-slot 19-inch Rack Mountable (Mounting accessory required - BRKT-SCRD-SMRK-01)
- NOTE: Single Slot Communication Cradle to utilize Ethernet requires MOD-MT2-EU1-01 or to utilize USB requires USB cable 25-124330-01R. (Both Sold Separately)
- Single Slot Charge and Ethernet Communication Cradle requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord (sold separately)
- 5-Slot Cradles requires power supply PWR-BGA12V108W0WW, DC Line Cord CBL-DC-381A1-01 & country specific AC Line Cord (sold separately)



Workstation Connect Cradle System



Workstation Connect Cradle



CRD-TC2X-1SNWS-01

TC21/TC26 Workstation Connect Cradle

- Connect Cradle allows for the TC21/TC26 mobile computer to connect to multiple peripherals and enable **Zebra Workstation Connect** on an external monitor
- Cradle includes following connectivity ports: HDMI, Ethernet, 3.5mm Headset Jack and USB-A (x4) (cables not included)
- Requires power supply PWR-BGA12V50W0WW, DC Line Cord CBL-DC-388A2-01 and country specific grounded AC Line Cord (sold separately)



Power Supply & Cables



Power Supply for Connect Cradle : 100-240 VAC, 12VDC, 4.16A.
(PN: PWR-BGA12V50W0WW)

Requires: Country specific AC grounded line cord.



DC Line Cord for powering Connect Cradle from PWR-BGA12V50W0WW.
(12 VDC, 4.16A) 1.8m length.
(PN: CBL-DC-388A2-01)

Notes:

1. Workstation Connect cradle accommodates devices with or without the rugged boot, hand straps, and both standard or extended capacity batteries.
2. Connect cradles can be secured to a desk or tabletop via standard M5 screws.
3. Connect cradles are compatible with healthcare configurations (TC21-HC, TC26-HC).

Batteries and Chargers



4-Slot Battery Charger



SAC-TC2Y-4SCHG-01
SAC-TC2Y-20SCH-01

TC21/TC26 4-slot Battery Charger

- Charges 1X or 2X Batteries; can mix & match battery per slot
- 4-Slot requires power supply PWR-BGA12V50W0WW; DC Line Cord CBL-DC-388A1-01 & country specific AC Line Cord (sold separately)
- 20-slot required power supply PWR-BGA12V108W0WW; DC Line Cord CBL-DC-381A1-01 & country specific AC Line Cord (sold separately)
- 20-slot Rack Mountable (requires BRKT-SCRD-SMRK-01 sold separately)



1X and 2X Batteries



Batteries
(3300 mAh, 5260 mAh)



BTRY-TC2Y-1XMA1-01

BTRY-TC2Y-2XMA1-01

Basic 1X Battery 3300 mAh
Extended 2X Battery 5260 mAh

- Basic Battery 3300 mAh
- Extended Battery 5260 mAh
- Country Specific Batteries available: “-BR” Brazil, “-IA” India
- Both compatible with battery charger SAC-TC2Y-4SCHG-01



Trigger Handle

TRG-TC2Y-SNP1-01

TC21/TC26 Snap-On Trigger Handle

Transforms device into all-touch handle style terminal for use in interim high-volume scanning operations



- Easily attaches to TC21/TC26 top housing
- Exposed Contacts provide ability to charge with the 5-Slot & Single Slot Cradles
- Optional Wrist Tether (sold separately) 50-12500-066
- The Trigger Handle is only available to be used on the TC21 and TC26 devices equipped with the 2-pin rear I/O connector.
- Does not block rear camera

Screen Protector

SG-TC2Y-SCRNPT1-01

TC21/TC26 Tempered Glass Screen Protector



- Protects Display on TC21 & TC26
- Single Protector to a Package

** Please note this accessory is a consumable and may require replacement during the device's lifespan.*

Trigger Handle Service Plan

The TC2X trigger accessory provides users with significant flexibility as they adapt the TC2X device to different operations within their retail environment. The TC2X trigger accessory is considered a consumable item which may need to be replaced during the life of a TC2X. Therefore, Zebra highly recommends the purchase of a Zebra trigger handle service plan.

OPT-TRGMNT-2

2-Year Zebra OneCare
Comprehensive Trigger Maintenance

OPT-TRGMNT-3

3-Year Zebra OneCare
Comprehensive Trigger Maintenance

Soft Holsters

SG-TC2Y-HLSTR1-01

TC21/TC26 Soft Holster

- TC2X Open Bucket design to accommodate hand strap + Snap-on's for easy insertion/removal
- Opening for audio & drainage
- Non-rotating clip
- Adjustable belt to fit the TC21/TC26 with Basic or Extended Battery

** Please note this accessory is a consumable and may require replacement during the device's lifespan.*



Hand Strap

SG-TC2Y-HSTRP1-01

TC21/TC26 Hand Strap

- Plastic clip that snap into towel bar for easy insertion/removal
 - Leather and Hypalon Pad for maximum comfort & wear resistance with Adjustable Velcro design
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.*



Arm Mount

SG-TC2Y-ARMNT-01

TC21/TC26 Arm Mount

- Enables the TC21/TC26 to be mounted to the arm for hands free operation
 - Scan with the hands free RS5100 Bluetooth Ring Scanner
- * Please note this accessory is a consumable and may require replacement during the device's lifespan.*



Rugged Boot

SG-TC2Y-BOOT-01

TC21/TC26 Rugged Boot with integrated Hand Strap

- Increases drop rating of device to 5 feet / 1.5 meters
- Two-part design with top and bottom parts connected with a fixed, integrated hand strap
- Bottom part can be removed to allow docking device into ShareCradle

** Please note this accessory is a consumable and may require replacement during the device's lifespan.*



Arm Mount

SG-TC2Y-WMADP1-01

TC21/TC26 Arm Mount with Standard Length Strap

- Enables the TC21 / TC26 to be mounted to the arm for hands free operation and can be used with the RS5100 / RS6100 (or similar) ring scanner.
- Swivel design to be viewed in Portrait or Landscape mode.

** Please note this accessory is a consumable and may require replacement during the device's lifespan*



Arm Mount

SG-TC2Y-WMADP1-02

TC21/TC26 Arm Mount with Extended Length Strap

- Enables the TC21 / TC26 to be mounted to the arm for hands free operation and can be used with the RS5100 / RS6100 (or similar) ring scanner.
- Swivel design to be viewed in Portrait or Landscape mode.

** Please note this accessory is a consumable and may require replacement during the device's lifespan.*



Audio and Vehicle Accessories

In-Vehicle Holder



CRD-TC2Y-VCH1-01

TC21/TC26 In-Vehicle Holder

- Suction Cup for Easy Window or Dashboard Mount
- Supports device with 1X or 2X Batteries
- USB-C jack accessible
- Does Not support Snap-On Accessories
- Work with USB Cigarette Lighter Adapter (CHG-AUTO-USB1-01) – sold separately

Headset

HDST-USBC-PTT1-01

Over-the-ear USB-C wired for PTT + VoIP w/ rotating earpiece for wearing on right/left ear. Includes built-in PTT button and volume control.



Bluetooth Headset

HS3100-OTH

HS3100 Rugged Bluetooth Headset Over-The-Head Headband includes HS3100 Boom Module and HSX100 OTH Headband Module



Chargers and Cables

USB-C Cable

CBL-TC5X-USBC2A-01

TC21/TC26 USB-C Cable to be used for charging and communications



Wall Charger – Power Supply

PWR-WUA5V12W0XX

Power Supply-100-240 VAC, 5 V, 2.5 A with country specific plugs.



Country	Power Supply Part Number
United States	PWR-WUA5V12W0US
Great Britain	PWR-WUA5V12W0GB
Europe	PWR-WUA5V12W0EU
Australia	PWR-WUA5V12W0AU
China	PWR-WUA5V12W0CN
Argentina	PWR-WUS5V12W0AR
Brazil	PWR-WUA5V12W0BR
Korea	PWR-WUA5V12W0KR
India	PWR-WUA5V12W0IN

RFID Accessories

RFD40 UHF RFID Sled



RFD40 RFID Sled

See table for part numbers



TC21/26 Sled Adaptor

ADP-RFD40-TC2X-1E

RFD4030-G00B700-XX

RFD40 UHF RFID Standard Sled

- Supports Zebra eConnex™ (must be used with devices equipped with 8-pin rear connector only)
- Supports device with 1X or 2X batteries
- Requires TC21/26 Sled Adaptor (ADP-RFD40-TC2X-1E)

RFID Single-Slot Cradles



CRD1S0T-RFD40-TC2X-CHG-1R

1-slot Charge Only Cradle

CRD1S0T-RFD40-TC2X-COM-1R

1-slot Micro USB & Charge Cradle

- Requires power supply PWR-BGA12V50W0WW, DC Line Cord CBL-DC-388A1-01 & country specific AC Line Cord (sold separately)

RFID Multi-Slot Cradles



CRD3S4T-RFD40-TC2X-CHG-1R

Charge Only Cradle

CRD3S4T-RFD40-TC2X-COM-1R

Ethernet & Charge Cradle

- 3 x sled/terminal slots and 4 x RFD40 spare battery slots
- Requires power supply PWR-BGA12V108W0WW, DC Line Cord CBL-DC-381A1-01 & country specific AC Line Cord (sold separately)

RFD40 Part Numbers – Country Specific

Country / Region	RFD40 Part Number
US, Canada, Puerto Rico (TAA Compliant)	RFD4030-G00B700-US
Worldwide 900MHz	RFD4030-G00B700-WR
EMEA 800MHz	RFD4030-G00B700-E8
Israel	RFD4030-G00B700-IL
India	RFD4030-G00B700-IN
Japan	RFD4030-G00B700-JP
Sri Lanka	RFD4030-G00B700-SL
Thailand	RFD4030-G00B700-TH
Tunisia	RFD4030-G00B700-TN

AC Line Cords – Country Specific

Country	Three Wire AC Line Cord
Abu Dhabi	50-16000-220R: 1.8M long, CEE 7/7 plug
Australia	50-16000-217R: 1.9M long, AS 3112 plug
Bolivia	50-16000-220R: 1.8M long, CEE 7/7 plug
Brazil	50-16000-727R: 18AWG, 250V, 16A, BR (3w)
China	50-16000-217R: 1.9M long, AS 3112 plug 50-16000-257R: 1.8M long, IEC 60320 C13 plug
Dubai	50-16000-220R: 1.8M long, CEE 7/7 plug
Egypt	50-16000-220R: 1.8M long, CEE 7/7 plug
Europe	50-16000-220R: 1.8M long, CEE 7/7 plug
Hong Kong	50-16000-219R: 1.8M long, BS1363 plug
India	50-16000-669R: 1.9M long, BS 546 plug
Iran	50-16000-220R: 1.8M long, CEE 7/7 plug
Iraq	50-16000-219R: 1.8M long, BS1363 plug

Country	Three Wire AC Line Cord
Israel	50-16000-672R: 1.9M long, S132 plug
Italy/Chile	50-16000-671R: 1.8M long, CIE 23-16 plug
Japan	50-16000-218R: 1.8M long, NEMA 1-15P plug
Korea	50-16000-220R: 1.8M long, CEE 7/7 plug 50-16000-256R: 1.8M long, CEE7/7 plug
Malaysia	50-16000-219R: 1.8M long, BS1363 plug
New Guinea	50-16000-217R: 1.9M long, AS 3112 plug
Russia	50-16000-220R: 1.8M long, CEE 7/7 plug
Singapore	50-16000-219R: 1.8M long, BS1363 plug
UK	50-16000-219R: 1.8M long, BS1363 plug
US	23844-00-00R: 7.5 feet long 50-16000-221R: 1.8M long, USA NEMA 5-15P
Vietnam	50-16000-220R: 1.8M long, CEE 7/7 plug